



**HIGH QUALITY PLATING
MACHINES & SOLUTIONS**

 ***9892218686***

Pen Plating with Single Pen

PLATING
MASTER



Technical Specification:

Voltage	Adjustable (0-12V)
Voltage Display	0-12V
Digital Prec Display	Digital
Compact & Durable	Compact
Complete Kit	0.61m* 10.55mm

 **9892218686**

Pen Plating with Two Pen



Technical Specification:

Input Voltage	110V/220V AC
Output Voltage	0-12V DC
Dimensions	200*150*250mm
Weight	1.5kg
Display	Digital LED Display

Pen Plating Pens

PLATING
MASTER



With Single Platinum
Wire



With Double Platinum
Wire



With Triple Platinum
Wire

Technical Specification:

- High- quality test probe
- Coiled cable with banana plug
- Cleaning solution bottle
- Compact storage base
- Secure cable tie

Key Benefits:

- Precision Testing
- Organized Storage
- Integrated Cleaning
- Durable Construction

Pen Plating Unit with CCCV System



Technical Specification:

Model	CCCV-1
Input	110/220 V AC
Output Voltage	0-80V DC
Display	Red LED Digital
Dimensions	200mm*150mm*100mm
Weight	2.5 kg

3/ 4 Beaker Rhodium Plating System 1 Ltr/ 2 Ltr

PLATING
MASTER



Key Benefits:


- 3-Tank Design: Electro Clean, Gold, Rhodium
- Digital Voltage/ Amperage Control
- Precise Timer & Control
- Complete Sertialization
- Long- Tank Design



9892218686

12/10 AMP Rectifier CVCC with Timer

PLATING
MASTER



Technical Specification:

Model	CV/CC
Input Voltage	110/220 V AC
Output Voltage	0-12V DC
Output Current	0-10A DC
Display	Red LED
Timer	0-999 Minutes



9892218686

12V/10 AMP Rectifier CVCC with Timer & Totalizer

PLATING
MASTER



Technical Specification:

Input Voltage	220V AC/ 50Hz
Voltage Range	0-12V DC
Current Range	0-10A DC
Timer	0-120 Minutes
Totalizer	6- Digit Ampere Count

 9892218686

12V/25 AMP Rectifier CV CC with Timer & Totalizer

PLATING
MASTER



Technical Specification:

Input Voltage	220V AC/ 50Hz
Output Voltage	0-12V DC
Output Current	0-25A DC
Timer	0-999s
Dimensions	250*150*200mm

 9892218686

12V/25 AMP Rectifier CV CC with Timer with Counter Totalizer + Temperature Control Heater with Sensor PT100 with PP Tank Unit

**PLATING
MASTER**



Technical Specification:

Brand	Semi- Auto system 120 ZVG
Containing	12V- 25A
Frequency Rate	+ 25W
Accurate Weight	120kg
Design	Professional Finishing Results

 **9892218686**

12V/25 AMP Rectifier CV CC with Timer with Counter Totalizer 2 Set Rectifiers



Technical Specification:

Model	EP-5000
Power	220V/ 50Hz
Dimensions	1200*600*1500mm
Tank Capacity	20L each

9892218686

Pickling Unit 10/20 Litre

PLATING
MASTER



Technical Specification:

Tank Volume	10L
Voltage	220V/ 50Hz
Ultrasonic Power	240W
Heating Power	400W



9892218686

Hot Air Oven

PLATING
MASTER



Technical Specification:

Model	HAO-100
Capacity	100L
Power Supply	220V/ 50Hz
Dimensions	500*500*650mm

 9892218686

Decreasing Powder (Imported)



Product Details:

- Qty- 1kg
- Batch- 23020350

Use Parameters:

- Qty- 1kg
- Powder 50gm/
per lit
- Tap water or DI
water
- 5V to 9V for 60
sec to 90 sec